

Comparison table of trunk diameter measurements following joint site visit 22nd October 2020

West side						
Tree no.	Feb 2018 (Bartlett)	Feb 2020 (DAA)	Change	Oct 2020 (BM, MMP, DO'S, BTE)	Change 2020	Overall change 2018-2020
71001	-	915	-	920 @ 1.3m	+5	-
71002	890	895	+5	900	+5	+10
71003	985	985	0	985	0	0
71004	235	250	+15	250	0	+15
71005	1110	1115	+5	1115	0	+5
71006	-	1360	-	1370	+10	-
71007	-	1150	-	1175	+25	-
71008	-	1310	-	1290 @ 1.6m	-20	-
71009	1190	1280	+90	1280 @ 1.4m	0	+90
71010	1040	1050	+10	1060	+10	+20
71011	1160	1175	+15	1185	+10	+25
71012	1140	1160	+20	1155	-5	+15
71013	1570	1590	+20	1580	-10	+10
71014	1010	1050	+40	1035 @ 1.2m (990 @ 1.8m)	-15	+25
71015	945	950	+5	955	+5	+10
71016	840	870	+30	870	0	+30
71017	1090	1110	+20	1120	+10	+30
71018	1080	1090	+10	1110	+20	+30
71019	910	910	0	920	+10	+10
71020	1040	1060	+20	1075	+15	+35
71021	950	950	0	965	+15	+15
71022	970	990	+20	985	-5	+15
71023	1120	1140	+20	1155	+15	+35
71024	1140	1160	+20	1170	+10	+30
71025	880	890	+10	900	+10	+20
71026	1100	1100	0	1125	+25	+25

East side						
Tree no.	Feb 2018 (Bartlett)	Feb 2020 (DAA)	Change	Oct 2020 (BM, MMP, DO'S, BTE)	Change 2020	Overall change 2018-2020
70000	-	1150	-	1170 @ 1.6m	+20	-
70001	-	945	-	950	+5	-
70002	-	860	-	890 @ 1.4m	+30	-
70003	860	860	0	875	+15	+15
70004	845	850	+5	860	+10	+15
70005	835	840	+5	845	+5	+10
70006	915	935	+20	940	+5	+25
70007	820	840	+20	870	+30	+50
70008	875	880	+5	895	+15	+20
70009	845	850	+5	880	+30	+35
70010	900	905	+5	930	+25	+30
70011	755	760	+5	770	+10	+15
70012	970	980	+10	1000	+20	+30
70013	975	975	0	1000	+25	+25
70014	1060	1050	-10	1085	+35	+25
70015	1240	1240	0	1245 @ 1.7m	+5	+5
70016	1050	1050	0	1070	+20	+20
70017	890	895	+5	910	+15	+20
70018	1060	1065	+5	1075	+10	+15
70019	830	840	+10	830 @ 1.2m (835 @ 1.7m)	-10	0
70020	710	715	+5	705	-10	-5
70021	1050	1060	+10	1060	0	+10
70022	900	895	-5	905	+10	+5
70023	1000	990	-10	1000	+10	0
70024	970	950	-20	970	+20	0

Note: All the October 2020 measurements were taken at a measured height of 1.5m above highest point of ground level at tree base, except where stated otherwise, and recorded to the nearest 5mm. Measurements at heights other than 1.5m were due to presence of irregularities, swellings etc. on the trunk

at 1.5m, thereby requiring measurement either at the narrowest point below 1.5m in accordance with Annex C of BS 5837: 2012, or, in cases where this was not appropriate, at the narrowest point above the irregularity or swelling, as agreed in each case on site.